

Trombone Makes and Models

MODEL	NO.	BORE (in.)	BELL (in.)	VALVE(S)	REMARKS
AMATI					
	ASL312	0.5	?		
	ASL361	.559/.59 8	8	F	European mouthpiece shank.
Valve, jazz model	AVT276	0.488	7		
BACH					
Stradivarius	4	.468/.48 5	7.5		Dual bore.
Stradivarius	6	0.485	7.5		
Stradivarius	8	0.49	7.5		
Stradivarius	12	0.5	7.5		
Stradivarius	16	.495/.50 9	7.5		Dual bore.
Stradivarius	LT16M	0.509	7.5		Lightweight slide.
Stradivarius	34	0.522	8		
Stradivarius	34B	0.522	8	F	
Stradivarius	36	0.525	8		
Stradivarius	36B	0.525	8	F	
Stradivarius	36BO	0.525	8	F	
Stradivarius	36K	0.525	8	F	Balanced valve design.
Stradivarius	36C	0.525	8	F	Removable F section.
Stradivarius	36CO	0.525	8	F	
Stradivarius	42	0.547	8.5	F	
Stradivarius	42B	0.547	8.5	F	
Stradivarius	42BO	0.547	8.5	F	
Stradivarius	42K	0.547	8.5	F	Balanced valve design.
Stradivarius	42C	0.547	8.5	F	Removable F section.
Stradivarius	42CO	0.547	8.5	F	
Stradivarius	45B	0.547	9	F	
Stradivarius	50B	0.562	9.5	F	

Stradivarius	50BO	0.562	9.5	F	Open wrap.
					Balanced valve design.
Stradivarius	50K	0.562	9.5	F	
Stradivarius	50B2	0.562	9.5	F, Eb	
Stradivarius	50B2O	0.562	9.5	F, Eb	Open wrap.
Stradivarius	50B2L	0.562	10.5	F, Eb	
Stradivarius	50B2LO	0.562	10.5	F, Eb	Open wrap.
Stradivarius	50B3	0.562	9.5	F, Gb	In line valves.
Stradivarius	50B3O	0.562	9.5	F, Gb	Open wrap.
					Balanced valve design.
Stradivarius	50K3	0.562	9.5	F, Gb	
Stradivarius	50B3L	0.562	10.5	F, Gb	In line valves.
Stradivarius	50B3LO	0.562	10.5	F, Gb	Open wrap.
Stradivarius	50K3L	0.562	10.5	F, Gb	
Eb Alto	39	0.468	6.5		
Valve	V-16	0.485	7.5		
Valve	843	0.485	8		
Student	TB300	0.5	8		
Intermediate	TB200	0.525	8		
Intermediate	TB200	0.525	8	F	
Mercedes	894	0.51	7.5		Also as Bundy.
Mercedes	894B	0.51	7.5	F	Also as Bundy.
Mercedes	836	0.525	8		Also as Bundy.
Mercedes	836B	0.525	8	F	Also as Bundy.
Mercedes	843	?	?	F	Valve.
Mercedes	883	0.515	?		Marching.
BENGE					
	170	0.5	8		Light-weight slide.
Optima	165F	0.547	8.5	F	
	175	0.525	8		
Optima	175F	0.525	8	F	Open wrap.
	190	0.547	8.5		
Optima	190F	0.547	8.5	F	Open wrap. Gold Brass bell.
	290	0.562	10	F,Gb	Gold Brass bell.
BESSON					
	632	0.487	8		
Sovereign	937	0.5	8		Lightweight slide.

	639	0.5	8		
	737	0.5	8		
Sovereign	940GS	0.5	8		
Sovereign	941GS	0.5	8		Red brass bell.
	737F	0.525		F	
Sovereign	930	0.547	8.5		Red brass bell.
Sovereign	932	0.547	8.5	F	Red brass bell.
Sovereign	942	0.547			Red brass bell.
Sovereign	944F	0.547		F	Red brass bell.
Sovereign	945F	.547/.56 2	8.5	F	Light weight slide.
Sovereign	940?	0.562	9.5	F, G	Red brass bell.
Sovereign	943	0.562	10	F, G	
Sovereign	943GS	0.562	10	F, G	In line rotors. Open wrap
Valve	735	0.516	8		With C Slide.
BUNDY					
Bundy	1523		8		
Bundy	1533		7.5		
Bundy	TB300	0.5	8		
BLESSING					
	B128	0.5	8		
Artist	B148	0.5	8		
Al Grey	B148X	0.5	8		
Artist	B5	0.508	8		
Artist	B7	0.525	8		
Artist	B78	0.525	8	F	
Artist	B8	0.547	8.5		
Artist	B88	0.547	8.5	F	Silver plated.
Artist	B88-O	0.547	8.5	F	Open wrap.
Artist	B98	0.562	9.5	F, ?	Double rotor.
Scholastic	B150				Valve.
Artist	B170	0.5	8		Valve.
CONN					
Artist	5H	0.5	8		Lightweight slide.
Artist	6H	0.5	8		Also as Victor.
Director	18H	0.5	8		

Director	14H	.500?	8		
Director	22H	0.5			
Artist	24H	0.484			Si Zentner model
	36H	.491/.50 0	7	Bb	Alto
Voca Bell	44H	0.484	7		
Constellation	48H	0.5	8		Nickel plated bell.
Custom/Artist	100H	0.5	8		Interchangeable lead pipe.
Director	50H	0.525	8	F	Also as Century?
Artist	74H	0.522	8.5		Red brass bell.
Artist	75H	0.522	8.5	F	
Century	76H	0.522	8.5		
Connquest	77H	0.522	8		
Artist	7H	0.525	8.5		Rose brass bell.
Artist	78H	0.525	8.5	F	Rose brass bell.
Artist Symphony	8H	0.547	8.5		Red brass bell.
Artist Symphony	88H	.547/.56 2	8.5	F	Red brass bell.
Artist Symphony	88H-O	.547/.56 2	8.5	F	Open wrap.
Symphony	88HT	.547/.56 2	8.5	F	Lightweight rose brass bell.
Symphony	88HT-O	.547/.56 2	8.5	F	Open wrap.
Christian Lindberg	88HY				Yellow brass bell.
	88HY-O				Open wrap.
Sterling	88-SGX	.547/.56 2	8.5	F	Sterling bell. Gold plated inner bell.
Symphony	89H	.547/.56 2	8.5	F	Convertible F attachment.
	62H	0.562	9.5	F, E	Red brass bell.
Artist Symphony	71H	0.562	9.5	F	
	72H	0.562	9.5	F	.547/.562
Artist Symphony	73H	0.562	9.5	F, E	
Artist	83H	0.562	9.5	F, G	In line rotors.
Custom Bass	110H	0.562	9.5 or 10	F	Red brass bell.
Custom Bass	111H	0.562	9.5	F, Eb	Red brass bell.
Custom Bass	112H	0.562	9.5 or 10	F, Gb	Red brass bell. In line rotors
Artist	5G	.500, .481	8		Valve. Also as Victor.

GETZEN					
	351	0.5	8		
Eterna	1050	0.508	7.75		
Eterna	1025	0.525	8		
Eterna	1025F	0.525	8	F	
Eterna	1047	0.547	8.5		
Eterna	1047F	0.547	8.5	F	
Custom	3047AF	0.547	8.5	F	Axial flow valve.
David Taylor	1062FD	.562/.57 8	9.5	F, D	Red brass bell.
Custom	3062AF	.562/.57 8	9.5	F, D	Axial flow valve.
Valve	998	0.5	8		
HOLTON					
Virtuoso	TR100	0.5			
	TR102	.495/.50 9	7.5		
Galaxy	TR401N				Dual bore. Nickel plate.
Super Collegiate	STR602				Rose brass bell. Dual bore.
Collegiate	TR602	0.5	8		Dual bore.
	TR602F	0.525	8		Wrong model no.?
Collegiate	TR658	0.5		F	
	TR161	0.525	8	F	Open wrap.
	TR188	0.547		F	
	TR158	0.547	9	F	Bronze or rose brass bell.
	TR258	0.547	9	F	Screw bell. Rose brass bell.
Artist	TR140	0.547	9	F	Rose bell, open wrap.
	TR150	0.547	9	F	Rose brass bell.
	TR160	0.547	9	F	Rose brass bell. Open wrap.
Friedman	TR156	0.547	8.5		
	TR256	0.547	8.5		Screw bell.
	TR680	0.547	9	F	
	TR159	.547/559	9	F	Rose brass bell.

	TR259	.547/559	9	F	Rose brass bell. Screw bell.
Roberts	TR183	0.562	9	F	
Artist	TR190	0.562	9	F	New valve design.
	TR180	0.562	10	F, E	
	TR181	0.562	10	F, G	Double in-line rotors.
	TR182	0.562	10	F, G	Double in-line rotors.
	TR280	0.562	10	F	Screw bell.
	TR281	0.562	10	F, G	Screw bell.
Collegiate	TR690	0.484	8		Valve.
Superbone	TR395	0.484	9		M. Ferguson, valve/slide.
KING					
Cleveland	605				
Cleveland	605F			F	
"600"	606R	0.5	8		
"600"	607F	0.525	8	F	
	608F	0.525	8	F	Gold brass bell.
"1500"	1506	0.5	8		Nickel plated bell.
Tempo	1305	0.491			
2B	2102	.481/.49 1	7 3/8		Dual bore.
2B	2102L	0.491	7 3/8		Jiggs Whigham model. Light slide.
2B	1457	0.491			Sterling silver bell.
2B+	2115	0.5	7 3/8		Lightweight slide and bell.
3B	2103	0.508	8		
3B	1403/S	0.508	8		Sterling silver bell.
3B	2103-SGX	0.508	8		Sterling silver bell.
3BF	2103F	0.508	8	F	
3BF	1403/SF	0.508	8	F	
3B+	2125	0.525	8		Gold brass bell.
3B+F	2125F	0.525	8	F	Gold brass bell.
	1480	0.536	9	F	

	1485	0.536	9	F	Sterling silver bell.
4B	2104	0.547	8 5/8		Gold brass bell.
4B	1404/S	0.547	8 5/8		Sterling silver bell.
4BF	2104F	0.547	8 5/8	F	Gold brass bell.
4BF	1404/SF	0.547	8 5/8	F	Sterling silver bell.
4BF	2104F-SGX	0.547	8 5/8	F	Sterling silver bell.
5B	2105F	0.547	9	F?	Gold brass bell.
Duo-Gravis	2106	0.562			
Duo-Gravis	1490/S	0.562			Sterling bell.
7B	2107	0.562	9 5/8	F, Gb	Gold brass bell.
8B	2108				
Valve 2B	2165	0.481	7 3/8		
Valve 2B	2167	0.481	7 3/8		With slide section.
Valve 3B	2166	0.481	8		
Valve 3B	2168	0.481	8		With slide section.
MARTIN					
Galaxy	TR5100	0.484	8		
	TR4500	0.5			
Urbie Green	TR4501	0.5			
	TR4525	0.524			
MIRAFONE					
	55F	large			
	56			F,D	Light slide, in line rotors.
Contrabass BBb	57F			F	
Alto	152				
OLDS					
Ambassador	A-15	.485/.50 0	7.5		
Studio	NL-15	.485/.50 0	7.5		Nickel plated.
Super	S-15				

Custom	P-15				
Custom	P-16	0.5	7.5		
Ambassador	A-20			F	
Recording Valve	R-20	.495/.510	8.5	F	Red brass bell.
Superstar	V-20	.495/.510	8.5	F	Silver plated.
Symphony	O-25	0.554	8.5	F	Red brass bell.
	P-22	0.565	9	F	
Bass	P-24G	0.565	9	F, G	
Bass	S-22			F	
Bass	S-24G	0.565	9	F, G	
Superstar Marching	V-25	0.565	10	F, E	Silver plated.
	O-21				
REYNOLDS					
Medalist	TO-58	0.485	7.5		
Contempora	TO-11	0.515	8.5		
Contempora	TO-12			F	
Onyx	TO-20			F	
Professional	TO-38				
Emperor	TO-50				
Medalist	TO-55			F	
Contempora	TO-01			F, E	
Contempora	TO-02	0.565	10	F	
	TV-28				Valve.
	TV-29				Marching
SELMER					
Bolero	74		8		
Largo	75		8.5		
Bolero	78		8	F	
Largo	79		9	F	
	1994		7.5		
YAMAHA					
	SL-352				
	SL-352S				Silver plate.

	SL-651				Two-tone brass lacquer.
	SL-641				Two-tone brass lacquer.
	SL-643			F	Two-tone brass lacquer.
Standard	YSL-354	0.5	8		
Standard	YSL-354S	0.5	8		
	YSL-653	0.5	8		Hand hammered bell.
	YSL-653R	0.5	8		Red brass bell.
Custom	851	0.5		F	
Professional	YSL-695	0.5	7.5		3 Lead pipes.
Professional	YSL-691	0.508	8		3 Lead pipes.
Intermediate	YSL-356R	.500/.525	8		Red brass bell.
Standard	YSL-356G	.500/.525	8		Gold brass bell. Semi-open wrap.
Professional	YSL-645	0.525	8.5		Nickel silver outer slide
Professional	YSL-646	0.525	8.5	F	Semi-open wrap.
Professional	YSL-683	0.525	8.5		Hand hammered bell.
Professional	YSL-683G	0.525	8.5		Gold brass bell.
	YSL-684	0.525	8.5		Hand hammered bell.
Professional	YSL-684G	0.525	8.5		Gold brass bell. Semi-open wrap.
	YSL-681	0.547	8.5		Hand hammered bell.
Professional	YSL-681B	0.547	8.5		Gold brass bell.
Professional	YSL-681G	0.547	8.5		Gold brass bell.
	YSL-682	0.547	8.5	F	Hand hammered bell.

Professional	YSL-682B	0.547	8.5	F	Gold bell. Open wrap. Large valve.
Professional	YSL-682G	0.547	8.5	F	Gold brass bell. Semi-open wrap.
Professional	YSL-648R	0.547	8.5	F	Semi-open wrap.
Professional	YSL-643	0.551	8.5	F	
	YSL-643R	0.551	8.5	F	
Professional	YSL-647	0.551			
	YSL-648	0.551		F	
Standard	YBL-322	0.563	9.5	F	
	YBL-322R	0.563	9.5	F	Red brass bell.
Standard	YBL-421G	0.563	9.5	F	Gold brass bell.
	YBL-621	0.563	9.5	F	Red brass bell.
	YBL-611R	0.563	9.5	F, Eb	Red brass bell.
	YBL-612	0.563	9.5	F, Eb	Gold brass bell.
	YBL-612R	0.563	9.5	F, Eb	Red brass bell.
	YBL-612II	0.563	10	F, Eb	
	YBL-613	0.563	10	2	Hand hammered bell.
Custom	YBL-613R	0.563	10	2	Red brass bell.
	YBL-613G	0.563	10	F, Eb	Gold brass bell.
Professional	YBL-613H	0.563	10	F, Eb	
Professional	YBL-622	0.563	9.5	F, D	Detachable 2nd rotor. Gold Bell
Alto, Professional	YSL-671	.470/.490	7 1/8		
Alto, Professional	YSL-673	.484/.500	7 1/8		Gold brass bell.

Custom alto	YSL-871	0.47	7 1/8		
Valve	YSL-354V	0.5	8		
WILLIAMS					
	4	0.484	7		
	6	0.5	7 (8)		
	7	0.5	7.5	F	
	9	0.547	8	F	
	8	0.547	8	F	
	10	0.562	9.5	F	